

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L1 | 23 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document))same (password or passcode or pin or secret or key) near8(uncorrect or false or wrong or inaccurate or duress or panic or fake or dummy or bogus or mock\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 07:58 |
| L2 | 17 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3 or eplac\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document)) same (password or passcode or pin or secret or key) near8 (uncorrect or false or wrong or inaccurate or duress or panic or fake or dummy or bogus or mock\$3) not 1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 08:07 |
| L3 | 2 | "5731575".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 08:54 |
| L4 | 544 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same (user or entit\$3) with (rule or privilege or right) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:30 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| L5 | 4962 | 726/27 or 726/28 or 726/29 or 726/30 or 713/182 or 713/183 or 713/184 or 713/185 or 713/185 or 713/186 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:31 |
| L6 | 14 | 4 and L5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:31 |
| L7 | 0 | (repla\$3 or modif\$4 or alter \$3 or chang\$3) with (sensive or confident\$4 or secret or secure or personal informat\$3) with (non or un) near3 (sensive or confident \$4 or secret or secure or personal informat\$3) with (role or privileg\$3) near7 user | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:37 |
| L8 | 6 | (repla\$3 or modif\$4 or alter \$3 or chang\$3)same (sensive or confident\$4 or secret or secure or personal informat\$3) same(non or un) near3 (sensive or confident \$4 or secret or secure or personal informat\$3) same (role or privileg\$3) near7 user | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:38 |
| L9 | 1182 | (repla\$3 or modif\$4 or alter \$3 or chang\$3)same (resource or sensitive or confident\$4 or secret or secure or personal informat \$3) same (role or privileg\$3) near7 user | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:40 |
| L10 | 239 | (repla\$3 or modif\$4 or alter \$3 or chang\$3)with (resource or sensitive or confident\$4 or secret or secure or personal informat \$3) with (role or privileg\$3) near7 user | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:41 |
| L11 | 9 | 5 and 10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 09:41 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| L12 | 0 | access\$3 with (senditive or confident\$3) near8 (data or resource or file or information) with suer near7 (rule or identit\$4 or iD) with (alter\$3 or modif\$4 or change \$3 or alter\$3 or replac\$3 or delet\$3 or eras\$3) with (senditive or confident\$3) near8 (data or resource or file or information) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 10:03 |
| L13 | 4 | "6701376".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/22 10:19 |
| S1 | 64 | (authentikat\$3 near7 (user or entit\$3 or device) near8 (password or pin or identificat \$3 or ID or passcode or passphrase or code) and (biometric) with (generat\$3 or produc\$3 or provid\$3 or creat\$3) near8 (encrypt\$3 near7 key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 10:43 |
| S2 | 26 | (US-6073234-\$.DID. OR US-6075860-\$.DID. OR US-5432851-\$.DID. OR US-7131184-\$.DID. OR US-6035406-\$.DID. OR US-5280527-\$.DID. OR US-5524072-\$.DID. OR US-5719560-\$.DID. OR US-5764789-\$.DID. OR US-6038666-\$.DID. OR US-7131186-\$.DID. OR US-6189103-\$.DID. OR US-5949882-\$.DID. OR US-7131185-\$.DID.) and (bimetric or authentikat\$3 or encrypt\$3 or encod\$3 or encipher\$3 or device or user or ID or password or passphrase or key or pin) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 11:29 |
| S3 | 217 | (BAIRD near LEEMON or HARMON near MANCE or YOUNG near REED or ARMSTRONG near JAMES). in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 11:54 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S4 | 5 | S3 and (user or device or entit\$3) and authenticat\$3 and (encrypt\$3 or encipher\$3 or cipher\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 11:56 |
| S5 | 25 | ("5280527" "5524072" "5719560" "5764789" "6035406" "6038666" "6189103").PN. OR ("6732278").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 13:13 |
| S6 | 2934 | 726/9 or 726/20 or 713/186 or 713/185 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 13:39 |
| S7 | 136 | (two or multi or multipl\$3) near3 factor with authenticat\$3 with (biometric) and (password or passcode or passphrase or pin or id or identificat\$3 or code or key) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 13:47 |
| S8 | 0 | S7 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113") | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 14:16 |
| S9 | 24 | S6 and S7 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 14:23 |
| S10 | 26 | (US-6073234-\$.DID. OR US-6075860-\$.DID. OR US-5432851-\$.DID. OR US-7131184-\$.DID. OR US-6035406-\$.DID. OR US-5280527-\$.DID. OR US-5524072-\$.DID. OR US-5719560-\$.DID. OR US-5764789-\$.DID. OR US-6038666-\$.DID. OR US-7131186-\$.DID. OR US-6189103-\$.DID. OR US-5949882-\$.DID. OR US-7131185-\$.DID. or "5949882".pn.) and (bimetric or authenticat\$3 or encrypt\$3 or encod\$3 or encipher\$3 or device or user or ID or password or passphrase or key or pin) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 14:27 |
| S11 | 6 | (S5 or S10) and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113") | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 14:31 |
| S12 | 1 | "6086369".pn. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 15:41 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S13 | 20 | ("4110908" "4283175" "4330282" "4406284" "4505676" "4820152" "4840566" "4961698" "5125837" "5419703" "5431565" "5531597" "5655906" "Re30536").PN. OR ("6086369").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 15:41 |
| S14 | 151 | (user or entit\$3 or device) near8 (password or pin or identificat\$3 or ID or passcode or passphrase or code) and (biometric) with (generat\$3 or produc\$3 or provid\$3 or creat\$3) near8 (encrypt\$3 near7 key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 17:51 |
| S15 | 3 | S14 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113") | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 17:52 |
| S16 | 175 | (password or pin or identificat \$3 or ID or passcode or passphrase or code) and (biometric) with (generat\$3 or produc\$3 or provid\$3 or creat\$3) near8 (encrypt\$3 near7 key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 17:59 |
| S17 | 4 | S16 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113") | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 18:00 |
| S18 | 2406 | (generat\$3 or produc\$3 or provid\$3 or creat\$3) with (password or pin or identificat \$3 or ID or passcode or passphrase or code) and (biometric) with (random and (predetermin\$3 or predefin \$3) near3 (time or period) or time near4 stamp or time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 18:08 |
| S19 | 11 | S18 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")and S6 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 18:09 |
| S20 | 213 | (generat\$3 or produc\$3 or provid\$3 or creat\$3) with password with device with random | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/06/24 18:14 |
| S21 | 15 | S20 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113") | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 18:15 |

| | | | | | | |
|-----|-----|---|------------------------|-----|----|------------------|
| S22 | 11 | (delet\$3 or modif\$4 or alter \$3 or mov\$3 or replac\$3) with (sensitive or confidntial or secure) with (unvalid\$3 or unauthoriz\$3 or false or unknown\$3) near3 (password or key or passphrase or pin) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 18:32 |
| S23 | 174 | (delet\$3 or modif\$4 or alter \$3 or mov\$3 or replac\$3) with (sensitive or confidntial or secure) with (unvalid\$3 or unauthoriz\$3 or authenticat\$ or unknown\$3) near3 (user or entit\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 18:36 |
| S24 | 0 | S23 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113")and S6 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 18:38 |
| S25 | 15 | S23 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113") | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/24 18:38 |
| S26 | 2 | (delet\$3 or modif\$4 or alter \$3 or mov\$3 or replac\$3) near8 (sensit\$3 or confidential or secure) near8 (unvalid\$3 or unauthoriz\$3 or false or unknown\$3) near3 (uer or entit\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/25 09:20 |
| S27 | 2 | (delet\$3 or modif\$4 or alter \$3 or mov\$3 or replac\$3) with (sensit\$3 or confidential or secure) with (unvalid\$3 or unauthoriz\$3 or false or unknown\$3) near5 (uer or entit\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/25 09:23 |
| S28 | 37 | (delet\$3 or modif\$4 or alter \$3 or mov\$3 or replac\$3) same (sensit\$3 or confidential or secure) same (unvalid\$3 or unauthoriz\$3 or false or unknown\$3) near5 (uer or entit\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/25 09:24 |
| S29 | 42 | (delet\$3 or modif\$4 or alter \$3 or mov\$3 or replac\$3) same (sensit\$3 or confidential or secure) near8 (data or file or informat\$3) same (privil\$ near4 level) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/25 09:36 |
| S30 | 12 | S29 and (@pd<"19970113" or @ad<"19970113" or @prad<"19970113" or @rlad<"19970113") | US-PGPUB; USPAT; USOCR | ADJ | ON | 2008/06/25 09:37 |

| | | | | | | |
|-----|----|--|---|-----|----|---------------------|
| S31 | 8 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document)) same ((fasle or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 15:43 |
| S32 | 10 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same ((fasle or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:04 |
| S33 | 5 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same ((fasle or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) same access\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:13 |
| S34 | 22 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same ((fasle or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:13 |

| | | | | | | |
|-----|-------|--|---|-----|----|---------------------|
| S35 | 0 | (authenticat\$3 or validat\$3) same (user or entit\$3) same ((fals\$ or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) same access43 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:18 |
| S36 | 88 | (authenticat\$3 or validat\$3) same (user or entit\$3) same ((fals\$ or dummy or fak\$3 or duress) near8 (password or pin or code or key or passcode)) and access\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:18 |
| S37 | 55 | access\$3 same (resource or data or information or secure or confidential) same (password or pin or passcode) with (integrit\$3 or duress or false or dummy) with authenticat\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:25 |
| S38 | 12880 | access\$3 same (resource or data or information or secure or confidential) same (password or pin or passcode) with (verificat\$3 or authenticat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:55 |
| S39 | 4962 | 726/27 or 726/28 or 726/29 or 726/30 or 713/182 or 713/183 or 713/184 or 713/185 or 713/185 or 713/186 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:57 |
| S40 | 822 | S38 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:57 |
| S41 | 14635 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same (memory or stor\$3 or database or resource) same ((sensit\$ or confidant\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:58 |
| S42 | 85 | S40 and S41 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 16:59 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S43 | 2577 | (delet\$3 or eras\$3 or remov\$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet\$3) same ((sensitive or confident\$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document) or resource) same (password or pin or code or key or passcode) same (verificat\$3 or validat\$3 or authenticat\$3 or authoriz\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 17:15 |
| S44 | 176 | S39 and S43 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 17:15 |
| S45 | 34 | authenticat\$3 same under with duress | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 17:58 |
| S46 | 0 | access\$3 with (secure or confident\$3 or sensitive) with (informat\$3 or document or resource)data with ((first or global or master or secure or true) near3(password or passcode or pin) or password or pin or code or passcode) and (eras\$3 or delete or modif\$4 or change\$3 or alter\$3 or mask\$3) with (information or document or resource or data) with (duress or false or fake or panic or second) near4 (passcode or code or pin or password) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 18:12 |
| S47 | 0 | access\$3 same (secure or confident\$3 or sensitive) same(informat\$3 or document or resource)data with ((first or global or master or secure or true) near7(password or passcode or pin) or password or pin or code or passcode) and (eras\$3 or delete or modif\$4 or change\$3 or alter\$3 or mask\$3) same (information or document or resource or data) same (duress or false | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 18:13 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| | | or fake or panic or second) near4 (passcode or code or pin or password) | | | | |
| S48 | 84 | access\$3 same (secure or confident\$3 or sensitive) same(informat\$3 or document or resource)data with ((first or global or master or secure or true) near7(password or passcode or pin) or password or pin or code or passcode) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 18:14 |
| S49 | 6443 | (eras\$3 or delete or modif\$4 or change\$3 or alter\$3 or mask\$3) same (information or document or resource or data) same (duress or false or fake or panic or second) near4 (passcode or code or pin or password) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 18:14 |
| S50 | 0 | S48 same S49 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 18:15 |
| S51 | 0 | S48 and S49 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 18:15 |
| S52 | 78 | S49 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 18:15 |
| S53 | 46 | (delet\$3 or eras\$3 or remov \$3 or wip\$3 or obscur\$3 or mask\$3 or disguis\$3 or delet \$3) with (memory or stor\$3 or database or resource) same ((sensitive or confident \$3 or secret or secure or person\$4) near7 (informat\$3 or data or account or file or document))same (authenticat \$3 or valid\$5 or authoriz\$3) near6(un or no) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/12/21 19:02 |

12/22/2008 11:16:41 AM

C:\Documents and Settings\ftraore\My Documents\EAST\Workspaces\10802073.wsp